

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2987	(313/500,503,506,508).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 07:36
L2	789	I1 and substrate with electrode and (light-emitting light?emitting light adj limiting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 08:19
L3	42	I2 and (seal\$3 near3 (cap cover lid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 09:04
S1	5506	(257/40,98,99,103).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 10:15
S3	13445	organic near3 electroluminescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/01 06:15
S4	6444	organic near3 electroluminescent near3 device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:49
S5	17	substrate with electrode and ((surface near5 (first adj layer)) with (light-emitting light?emitting light adj limiting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/01 06:20
S6	369	((257/40,98,99,103).CCLS.) and (organic near3 electroluminescent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/01 06:19
S7	262	((257/40,98,99,103).CCLS.) and (organic near3 electroluminescent near3 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/01 06:19

S8	761	8and (((257/40,98,99,103).CCLS.) and (organic near3 electroluminescent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/01 06:19
S11	8007	substrate with electrode and (light-emitting light?emitting light adj limiting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 08:19
S12	153	(substrate with electrode and (light-emitting light?emitting light adj limiting)) and (((257/40,98, 99,103).CCLS.) and (organic near3 electroluminescent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/01 06:21
S13	112	(substrate with electrode and (light-emitting light?emitting light adj limiting)) and (((257/40,98, 99,103).CCLS.) and (organic near3 electroluminescent near3 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/01 06:21
S15	10	(substrate with electrode and (light-emitting light?emitting light adj limiting)) and isolat\$3 near3 seal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:47
S16	8	((substrate with electrode and (light-emitting light?emitting light adj limiting)) and isolat\$3 near3 seal) and protect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/01 06:23
S17	8	((substrate with electrode and (light-emitting light?emitting light adj limiting)) and isolat\$3 near3 seal) and protect\$3) and cover\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/01 06:23
S21	7076	organic near3 electroluminescent near3 device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:50
S22	1520	S21 and electrode and (light-emitting light?emitting light adj emitting) near3 layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:00
S23	1	S22 and (seal\$3 near3 (cap cover lid)) with (channel hole passage through-hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:20

S24	88	S22 and (seal\$3 near3 (cap cover lid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 09:03
S26	1	S22 and (seal\$3 near3 (cap cover lid)) and connect\$3 adj line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:45
S27	131	(349/69).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 16:45